

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7744	(advert?2\$5 ads promo\$1 promotion\$2 commercials coupon\$1 incentive\$1) NEAR5 (Internet online "on-line" (world ADJ2 Web) website\$1 webpage\$1 ((web home) ADJ (page\$1 site\$1)))	US-PGPUB; USPAT	OR	OFF	2005/03/08 12:27
L2	3093	1 AND (((classif\$7 cluster\$3 categor\$7 group\$3 segment\$5) NEAR3 (user\$1 viewer\$1 listener\$1 consumer\$1 customer\$1 shopper\$1 purchaser\$1 subscriber\$1 visitor\$1 member\$4)))	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/03/08 12:04
L3	324	2 AND ((calculat\$2 determin\$2 estimat\$22 revis\$22 updat\$22) NEAR3 distribution)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/03/08 12:08
L4	1	"20020178052".pn. AND 3	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/03/08 12:13
L5	102	3 AND (distribution WITH (advert?2\$5 ads promo\$1 promotion\$2 commercials coupon\$1 incentive\$1) WITH (calculat\$22 determin\$22 estimat\$22 revis\$22 updat\$22))	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/03/08 12:16
L6	1	"20020178052".pn. AND 5	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/03/08 12:13
L7	73	5 AND (@ad<"20010510"@riad<"20010510")	US-PGPUB; USPAT	OR	OFF	2005/03/08 12:14
L8	2	7 AND (distribution WITH (mathematic\$4 statistic\$4 deterministic))	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/03/08 12:21
L10	1	(7 NOT 8) AND (visto\$1 NEAR3 (website\$1 webpage\$1 ((web home) ADJ (page\$1 site\$1))))	US-PGPUB; USPAT	OR	OFF	2005/03/08 12:29
L11	70	(7 NOT (8 10))	US-PGPUB; USPAT	OR	OFF	2005/03/08 12:30

Aggr identity; r Ehrling (339 pat.)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	358	((mathematic\$4 statistic\$4 deterministic\$4) ADJ3 distribution) AND (((determin? \$2 estimat\$2 updat\$2 new second revis?\$2) ADJ distribution)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/03/08 13:48
L3	206	2 AND sequence	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/03/08 14:29
L4	5	2 AND (sequence NEAR3 event\$1)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/03/08 14:47
L6	151	(3 NOT 4) AND (@ad<"20010510" @rad<"20010510")	US-PGPUB; USPAT	OR	OFF	2005/03/08 13:54
L7	33	6 AND (((round ADJ robin) random\$2 "round-robin") NEAR3 (allocat?\$23 distribut?\$2))	US-PGPUB; USPAT	OR	OFF	2005/03/08 14:39
L8	3	7 AND (((minim??\$5 lowest least smallest) ADJ3 distance\$1)	US-PGPUB; USPAT	OR	OFF	2005/03/08 14:02
L9	18	(7 NOT 8) AND distance\$1	US-PGPUB; USPAT	OR	OFF	2005/03/08 14:02
L12	180	(2 NOT 4) AND (event\$1 happening\$1 occurrence\$1 outcome\$1) AND (@ad<"20010510" @rad<"20010510")	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/03/08 14:39
L15	17	((12 NOT (7 8 9)) AND (((round ADJ robin) random\$2 "round-robin") NEAR3 (allocat?\$23 distribut?\$2))	US-PGPUB; USPAT	OR	OFF	2005/03/08 14:43
L17	54	(12 NOT (7 8 9 15)) AND ((set\$1 sequence\$1) NEAR3 (event\$1 happening\$1 occurrence\$1 outcome\$1))	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/03/08 14:49

Ref #	Hits	Search Query	Dbs	Default Operator	Plurals	Time Stamp
L1	24838	sequence NEAR3 event\$1	US-PGPUB; USPAT	OR	OFF	2005/03/08 15:13
L2	551	1 AND ((determin? \$2 estimat\$2 updat?\$2 new second revis?\$2) NEAR2 distribution)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/03/08 15:17
L3	16	2 AND ((desir?\$3 target\$2 ideal goal) ADJ3 distribution)	US-PGPUB; USPAT	OR	OFF	2005/03/08 18:09
L4	16	3 AND (@ad<"20010510" @rlad<"20010510")	US-PGPUB; USPAT	OR	OFF	2005/03/08 16:20
L7	55	(1 NOT 4) AND (((desir?\$3 target\$2 ideal\$7 goal inten?\$2 intention\$2) ADJ3 distribution) AND (@ad<"20010510" @rlad<"20010510"))	US-PGPUB; USPAT	OR	OFF	2005/03/08 18:23
L11	29	705/14.cds. AND ((desir?\$3 target\$2 ideal\$7 goal inten?\$2 intention\$2) ADJ3 distribution) AND (@ad<"20010510" @rlad<"20010510") NOT (4 7)	US-PGPUB; USPAT	OR	OFF	2005/03/08 19:39

Identifiers (sub part)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	169593	((classif?7 cluster?3 categor?7 group?3 segment?5) NEAR3 (user?1 viewer?1 listener?1 consumer?1 customer?1 shopper?1 purchaser?1 subscriber?1 visitor?1 member?4))	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/03/06 22:16
L2	1778	1 AND ((second revis?2 new updat?2) NEAR3 distribution)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/03/06 22:18
L3	642	2 AND (distribution WITH (least minim?2\$5 lowest smallest))	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/03/06 22:21
L4	114	3 AND ((select?3 choos?2 chose?1 determin?2) NEAR3 (adverti?2\$5 ads promo?1 promotion?2 commercials coupon?1 incentive?1))	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/03/06 22:23
L5	51	4 AND (distribution NEAR3 (adverti?2\$5 ads promo?1 promotion?2 commercials coupon?1 incentive?1))	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/03/06 22:24
L6	1	"20020178052".pn.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/03/06 22:24
L7	1	5 AND 6	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/03/06 22:24
L8	33	5 AND (@ad<"20010510" @riad<"20010510")	US-PGPUB; USPAT	OR	OFF	2005/03/06 22:25
L9	9	5 AND (@ad<"20000510" @riad<"20000510")	US-PGPUB; USPAT	OR	OFF	2005/03/06 22:33
L11	14	(8 NOT 9) AND vector?1	US-PGPUB; USPAT	OR	OFF	2005/03/06 22:38
L12	10	(8 NOT (9.1.1))	US-PGPUB; USPAT	OR	OFF	2005/03/06 22:38

Identify Elderly (239 pat.)